









INDUSTRIAL SAFETY COLLECTION

CONTENTS



ABOUT US	Pg.3
PROTECTIVE - HIGH CUT	Pg.5
PROTECTIVE - LOW CUT	Pg.11
PROTECTIVE - SLIP ON	Pg.14
NON PROTECTIVE - SLIP ON	Pg.15
OCCUPATIONAL	Pg.16
SPECIALTY	Pg.23
ACCESSORIES	Pg.24
APPAREL	Pg.25
COMPRESSION	Pg.26
SIZE CHART	Pg.27
STANDARDS	Pa.28

ABOUT US



Aspire Pacific is dedicated to providing high-quality products and services that connect the Pacific Islands to the global market. Our mission is to be the leading provider of reliable and innovative solutions that facilitate trade, communication, and connectivity across the Pacific region. We are committed to delivering exceptional value to our customers, partners, and communities through our unwavering focus on quality, integrity, and sustainability.



SCHÜTZE: Made in Austria since 1925. We are renowned for high-quality components and utilising state-ofthe-art production. We believe our ASPHALT-PRO range is the only safety shoe that earns money. WHY? The answer is quite simple: SCHÜTZE ASPHALT-PRO is the only shoe enabling your employees to work on hot asphalt for more than an hour without putting their health and/or safety at risk.



Italian Sports Brand Diadora has cleverly combined its distinguished sporting heritage with its flair for style and innovation to produce a premium range of Diadora Utility Safety boots for the Australian and New Zealand markets.



Created in 2017, Munka is a specialised footwear and apparel safety brand providing affordable, quality workwear. The Munka brand is quickly growing as highly technical footwear styles are added to the product mix. You can be confident all Munka items are the best product at the best price.

NEW BALANCE INDUSTRIAL





Engineered Comfort and Safety. New Balance Industrial range has been distributed exclusively by Overland Group for both Australia & New Zealand since 2018. New Balance Industrial incorporates data and learnings from running, training and field of play product, with the addition of safety features. Heritage in width and fit kept throughout the industrial line, with toe caps, toe plate and lasts all unique to varying fits to ensure ultimate comfort and performance.

ALLSITE **MIDALLS**






BLACK

New Balance Allsite provides protection across all conditions. Waterproof upper construction ensures protection across all outdoor conditions, constructed with the lightest weight materials, such as composite toe, Kevlar® midsole and TPU eyelet minimising fatigue from even the longest day on-site while not compromising on safety. NB comfort insert, Acteva midsole and strong heel counter come together to provide comfort, stability and flexibility for the most active worker. COMFORT WHILE YOU WORK.

FEATURES

- Water proof upper.
- · Lightweight.
- Kevlar[®] anti-perforation midsole.
- Slip resistant outsole.
- · Composite toe.
- Heel counter support.
- · Airport friendly.
- NB pu comfort insert.





Class 1 S3 SRC EUROPEAN Standard EN ISO 20345: 2011

CONTOUR

MIDCNTR







BLACK

New Balance Contour offers everything you expect from your work boot. Comfort supplied through NB Comfort Insert, durability via rubber outsole, premium nubuck leather upper, supported with Ndure abrasion resistant collar and abrasion resistant Toe Protect. Debris Free construction ensures additional protection from the elements. While YKK® zip provides easy access moving across site. Contour will be your ultimate worksite companion. COMFORT WHILE YOU WORK.

FEATURES

- Water resistant leather upper.
- · Heel and tongue pull tab.
- YKK[®] zipper.
- Kevlar[®] anti-perforation midsole.
- Slip resistant outsole.
- Composite toe.
- Heel counter support.
- Airport friendly.





 Ndure is an NB proprietary PU that gives added durability and endurance. 	 H20 RESIST For shoes which use water repellent effect material and pass the NB water repellent standard test.
A dual-use outsole tread combining both trail and running lug designs for on and off-road. Dee Protect (2) Reinforced to e tip designed to help protect the toes.	Debris Free Construction O Advanced upper construction designed to keep debris from entering the shoe. Width 2E 4E Wide KWide
Class 1 S3 SRC AUSTRALIAN Standard AS 2210.3: 2019 Class 1 S3 SRC EUROPEAN Standard EN ISO 20345: 2011	

©ASPIRE PACIFIC.

TIGER TECHNICAL SIDE ZIP DUF19001






BLACK

Heavy duty workboot made from water resistant full grain leather. Along with the breathable leather upper, this boot is anti-static, has an oil resistant outsole with slip reistant properties and a 200J impact resistant composite toe cap. The heel energy absorbtion, Poron[®] insole and light weight features will keep you on your feet longer. The slip resistant nitrile rubber outsole is heat resistant to 300°C and external bump cap provides additional protection. The YKK[®] zipper lets you get the boot on and off quickly.

FEATURES

- Water resistant full grain leather upper.
- · Heavy duty YKK® zip entry plus speed lacing.
- Composite toe cap 200J impact resistance.
- Shock absorbing and cushioning PORON® midsole.
- · TPU heel counter support.
- Nitrile rubber outsole.
- Slip resistant outsole.
- Heat resistant to 300°C.





Class 1 S1 SRC AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019 Class 1 S1 SRC EUROPEAN Standard EN ISO 20345: 2011

CRAZE WIDE

FU1533CT



WHEAT



BLACK

Hydrocarbor

resistant sole

200J

toe cap

Heel energy absorption

5E

Width

The Craze Wide is specifically designed to fit wider feet. Craze Wide is built around an all new last, contoured to accomodate even the widest feet. Toebox, instep girth, safety cap and outsole have all been expanded. On hot days or after many hours standing, your feet will spread noticeably. Our special forefoot design eliminates lateral compression at the widest point.

Water-resistant


upper

EVA

Midsole cushion

FEATURES

- · S1 Nubuck cow leather water-resistant upper.
- · 'Airport friendly' non metallic eyelets.
- · 5E extra wide last for a spacious, comfortable fit.
- · Kevlar® anti-perforation midsole.
- Moulded TPU scuff resistant toe cover.
- · Composite toe cap 200J impact resistance.
- · Shock absorbing, ligthweight EVA® midsole.
- Nitrile rubber outsole.
- Heat resistant to 300°C.



Class 1 S1P SRC AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019 Class 1 S1P SRC EUROPEAN Standard EN ISO 20345: 2011

Breathable

upper

Kevlar.

Anti-penetration insole

Anti-static

shoes



CRAZE ZIP FU1948CT





WHEAT

BLACK

STONE

200J toe cap


WOMEN

Value priced and lightweight, the Craze side zip safety boot is a great option. With water resistant nubuck upper, padded tongue, lightweight composite toe cap, heavy duty YKK™ Zip with velcro closure, phylon midsole for enhanced cushioning, external TPU scuff resistant external bump cap for increased durability, padded PU insole, nitrile rubber outsole that is resistant to 300°C. Heel energy absorption to keep you comfortable and on your feet all day.

FEATURES

- · S1 Nubuck cow leather water-resistant upper.
- · Four metal eyelets, three metal hooks to lace up.
- Padded tongue.
- Heavy duty YKK[®] zip with velcro closure.
- · Moulded TPU scuff resistant toe cover.
- Composite toe cap 200J impact resistance.
- · Shock absorbing, lightweight EVA® midsole.
- Nitrile rubber outsole.
- Heat resistant to 300°C.
- Broad size profile.

UK sizes



Water-resistant Breathable upper Anti-static shoes Hydrocarbor resistant sole EVA LIGHT WEIGHT Midsole cushion Heat resistant sole Extern Lightweight comfort

Class 1 S1 SRC AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019 Class 1 S1 SRC EUROPEAN Standard EN ISO 20345: 2011

CRAZE LACE (NO ZIP)

FU1502CT



WHEAT

Value priced and lightweight, this anti-penetration kevlar lined, safety boot is a great option. With water resistant nubuck upper, lightweight 2003 impact resistant composite toe cap, phylon midsole for enhanced cushioning, external TPU scuff resistant bump cap for increased durability, padded PU insole and nitrile rubber outsole that is resistant to 300°C. Kevlar insole for protection from sharp things under your feet, outsole with slip resistant properties and heel energy absorption.

FEATURES

- S1 Nubuck cow leather water-resistant upper.
- · Four metal eyelets, three metal hooks to lace up.
- Padded tongue.
- Kevlar[®] anti-penetration insole.
- Moulded TPU scuff resistant toe cover.
- · Composite toe cap 200J impact resistance.
- · Shock absorbing, lightweight EVA® midsole.
- Nitrile rubber outsole.
- Heat resistant to 300°C.
- · Broad size profile.

UK sizes

6 7 8 9 10 11 12 13 14 4.5 5



Class 1 S1P SRC AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019 Class 1 S1P SRC EUROPEAN Standard EN ISO 20345: 2011



TAURUS WORK BOOT MFMW23102








WHEAT

BLACK

The Taurus workboot is a lightweight nubuck leather zip up work boot with breathable, antibacterial & antimicrobial Coolmax sock lining. It features 200J impact resistant steel toe cap, Poron® insert footbed, shock absorbing EVA® midsole, nitril rubber outsole heat resistant to 300°C and a midfoot shank for support, stability and reduced foot fatigue. All day comfort and safety for your feet.

FEATURES

- · High quality long lasting Nubuck leather upper.
- Treated for oil and water protection.
- · Seven hexagon metal eyelets.
- Poron[®] insert footbed.
- · Heavy duty YKK zip 8 gauge with velcro closure.
- 300°C heat resistant, nitrile rubber outsole.
- · Impact resistant steel toe cap 200J for maximum protection.
- · Dual density PU (polyurethane) injection midsole.
- Slip & oil resistant. Anti-static shoes.
- · Midfoot shank for support, stability and reduced foot fatigue.











PORON * COOLMAX

CLASS 1 S2-SRC AUSTRALIAN Standard AS 2210.3-2019 EUROPEAN Standard EN: ISO 20345-2011 AMERICAN Standard ASTM F2413

RENEW WORKBOOT

MFM24206





BLACK

The Renew workboot is a lightweight waterproof zip up work boot made from recycle leather and polyester yarns. It features 2003 impact resistant composite toe cap for maximum protection, waterproof membrane, premium PU insert footbed, shock absorbing EVA® midsole and nitril rubber outsole heat resistant to 300°C. By purchasing the RENEW safety shoe, you're contributing to a more sustainable future.

Water-resistant

Heat resistant sole

uppe

FEATURES

- · Upper made from recycled leather & polyester yarns.
- Waterproof membrane.
- · Waterproof YKK® zip with Velcro.
- Premium PU insert footbed.
- Heel energy absorption.
- Shock absorbing EVA® midsole.
- TPU toe scuff protection.
- Slip, oil and fuel resistant outsole.
- Anti-static protection.
- Nitrile rubber outsole, heat resistant to 300°C.
- · Impact resistant safety toe cap for maximum protection.

UK sizes

7 8 9 10 11 12 13 56

S2 SRC AUSTRALIAN Standard AS 2210.3:2019 Global Recycled Standard 4.0 Certified.

External

bump cap

Breathable

uppe

Anti-static

shoes

Midsole

cushior

ΕV

200J

toe cap

Lightweight

Hydrocarbon

stant sole



TORO MFM24207



Width

2E



BLACK

The Toro workboot is a lightweight zip up work boot made from full grain leather upper. It features 2003 impact resistant steel toe cap for maximum protection, premium PU insert footbed, shock absorbing EVA® midsole, steel anti-penetration midsole, slip and oil resistant and dual density PU outsole.

FEATURES

- High quality full grain upper leather.
- Premium PU insert footbed.
- Padded collar and tongue for comfort.
- Heavy duty YKK zip 8 guage with velcro closure.
- Toe scuff protection.
- Impact resistant steel toe cap 2003 for premium protection.

7 8 9 10 11 12 13 14 15 16

- · Steel anti-penetration midsole.
- Slip & oil resistant.
- Anti-static protection.



S1-P SRC AUSTRALIAN Standard AS 2210.3:2019

GIRDER ZIP

MFW21166

UK sizes

4 6



WHEAT



BLACK

Designed for the Australian and New Zealand workwear markets, the Girder is a lightweight suede leather zip up work boot with 2003 impact resistant steel toe cap, outsole with oil resistant and slip resistant properties, shock absorbing EVA® midsole and PU outsole resistant to 200°C.


FEATURES

- Suede leather.
- Heavy duty zip.
- · Padded tongue.
- · Steel toe cap 200J impact resistance.
- Shock absorbing EVA[®] midsole.
- · PU (polyurethane) injection outsole.
- Heel energy absorption.
- Oil resistant.
- Slip resistant outsole.
 Heat resistant to 200°C.

©OVERLAND GROUP PTY LTD.

 UK sizes

 4
 6
 7
 8
 9
 10
 11
 12
 13



Class 1 S1 SRC AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019 Class 1 S1 SRC EUROPEAN Standard EN ISO 20345: 2011



Midsole cushion

GIRDER LACE MFW21155





WHEAT

Breathable

upper

EVA

Midsole cushion

Anti-static

shoes

K

RESIST PZ

Class 1 S1 SRC AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019

Class 1 S1 SRC EUROPEAN Standard EN ISO 20345: 2011


Hydrocarbon resistant sole

200

Designed for the Australian and New Zealand workwear markets, the Girder is a lightweight suede leather lace up work boot with 2003 impact resistant steel toe cap, outsole with oil resistant and slip resistant properties, shock absorbing EVA® midsole and PU outsole resistant to 200°C. Style with no Zip.

FEATURES

- Suede leather
- · Padded tongue.
- Steel toe cap 200J impact resistance.
- Shock absorbing EVA® midsole.
- PU (polyurethane) injection outsole.
- Heel energy absorption.
- · Oil resistant.
- · Slip resistant outsole.
- Heat resistant to 200°C.



MUNKA BULL LACE

MFW18122



BLACK


Breathable

upper

Great value lace up work boot. With 200J impact resistant steel toe cap, oil resistant sole and slip-resistant properties. This shoe will provide the protection you need while working.

FEATURES

- Embossed action leather upper.
- Four metal hooks to lace up.
- Padded tongue and collar.
- Steel toe cap 200J impact resistance.
- · Oil resistant with a dual density PU outsole.
- · Heel energy absorption.
- · Slip resistant outsole.
- · Broad size profile.



2003

toe cap

Heel energy absorption

Class 1 SB SRA AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019 Class 1 SB SRA EUROPEAN Standard EN ISO 20345: 2011

Hydrocarbon resistant sole



PROTECTIVE - LOW CUT

LOGIC MIDLOGI



new balance




BLACK/ ORANGE


GREY/LIME

All the benefits of a New Balance running shoe with everything required from agile safety footwear come together to form Logic. With New Balance ACTEVA performance midsole technology coupled with NB Comfort Insert create the ideal mix of support, cushioning and flexibility. Light weight rubber outsole for ultimate flexibility and durability. Logic provides comfort and protection across broad work place environments. COMFORT WHILE YOU WORK.

FEATURES

- · Low abrasion, breathable PU and mesh upper,
- Heel pull tab.
- Kevlar[®] anti-perforation midsole.
- Slip resistant outsole.
- · Composite toe.
- Heel counter support.
- Airport friendly.
- NB pu comfort insert. • ESD 300°C nitrile HRO.





SPEEDWARE

MIDSPWR



EUROPEAN Standard EN ISO 20345: 2011



GREY/ ORANGE


Speedware provides the ultimate in light weight comfort safety footwear. Featuring New Balance ACTEVA performance midsole technology coupled with NB Comfort Insert create the ideal mix of support, cushioning and flexibility. AT TREAD pattern design outsole provides our highest level of slip resistance. Speedware has been designed for the active worker across an array of conditions both indoor and out. COMFORT WHILE YOU WORK.

FEATURES

· Low abrasion, breathable knitted nylon synthetic upper,

BLACK/ BLACK

- Heel pull tab.
- Kevlar® anti-perforation midsole.
- Slip resistant outsole.
- Composite toe.
- Heel counter support.
- · Airport friendly.
- NB pu comfort insert.





©OVERLAND GROUP PTY LTD.

PROTECTIVE - LOW CUT

COMFORT WORKER N2114M






BLACK

The lightweight protective shoe for those on their feet all day. This shoe is breathable and safe with a 200J protective toe cap and anti-static and slip resistant outsole. This shoe is great for logistics, warehousing and anyone covering large distances on their feet at work while needing a comfortable, light and protective shoe.

FEATURES

- Breathable PU and mesh upper.
- Mesh lining, removable sock.
- Lightweight comfort.
- Removable insole.
- · Composite toe cap 200J impact resistance.
- Shock absorbing EVA® midsole.
- Anti-static shoes.
- · Slip resistant rubber outsole.



RENEW SHOE MFM23205





Class 1 S1 SRC AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019 Class 1 S1 SRC EUROPEAN Standard EN ISO 20345: 2011



BLACK

The Renew is a sustainable, supper lighweight shoe made from 100% recycle polyester yarns which is breathable and durable. It features composite toe cap for maximum protection, premium PU insert footbed, shock absorbing EVA® midsole and nitril rubber outsole heat resistant to 300°C. By purchasing the RENEW safety shoe, you're contributing to a more sustainable future.

FEATURES

- 100% recycled, breathable fly knit upper.
- Removable premium PU insole.
- Heel energy absorption.
- Shock absorbing EVA® midsole.
- · Slip, oil and fuel resistant outsole.
- Super lightweight.
- · Anti-static protection.
- Nitrile rubber outsole, heat resistant to 300°C.
- · Impact resistant Nano composite safety toe cap for protection.
- Airport friendly.



 Image: Signal product of the constraint of the constr

S1 SRC AUSTRALIAN Standard AS 2210.3:2019 EUROPEAN Standard EN: ISO 20345:2011 Global Recycled Standard 4.0 Certified.

©OVERLAND GROUP PTY LTD.

PROTECTIVE - LOW CUT

WARE PRO MFW19333






BLACK

Super light shoe perfect for logistics, warehousing and those covering large distances on their feet. The WarePro offers 200J toe protection and is Scotchguard™ treated for oil and water protection. The shoe has a fully breathable mesh upper construction and special slip resistant outsole for excellent traction on damp and greasy surfaces. The resilient footbed will retain its shape for the life of the shoe.

FEATURES

- · Synthetic breathable mesh upper.
- Resilient PU comfort footbed
- Scotchgard[™] treated for oil and water protection
- Alloy toe cap 200J impact resistance.
- Slip resistant outsole.
- Shock absorbing EVA® midsole.
- Nitrile rubber outsole.
- · Lightweight 409gms (size 9).



WOMENS 627 WID627U2









Class 1 SB FO SRC AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019 Class 1 SB FO SRC EUROPEAN Standard EN ISO 20345: 2011



~




BLACK/ PURPLE

This Steel Toe 627 work-shoe is our popular steel-toed industrial sneaker updated with even more safety features. The same slip-resistant outsole helps give you confidence on a range of surfaces, while a wider toe cap and a rubber toe tip enhance the shoe's fit and durability. Not just for foot protection, the 627 also brings you the streamlined style of an athletic shoe and the all-day comfort New Balance is known for. COMFORT WHILE YOU WORK.

FEATURES

- PU upper.
- Heel pull tab.
- Steel toe cap.
- · Slip resistant outsole.
- NB EVA® comfort insert.
- Electrostatic discharge (ESD)





AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2009

PROTECTIVE - SLIP ON

CRAZE SLIP ON





WHEAT

BLACK

Hydrocarbon resistant sole

EVA

200J toe ca

Kevlar.

Anti-penetration insole WEIGHT

Lightweight comfort

Anti-static

Value priced and lightweight, this anti-penetration kevlar plate, slip-on safety boot is a great option. With water resistant nubuck upper, slip-on design for easy entry/exit, lightweight 200J impact resistant composite toe cap, phylon midsole for enhanced cushioning, external TPU scuff resistant bump cap for increased durability, padded PU insole and nitrile rubber outsole that is resistant to 300°C. Kevlar plate for protection from sharp things under your feet, outsole with slip resistant properties and heel energy absorption.

FEATURES

- S1 Nubuck cow leather water-resistant upper.
- Easy fitting dual pull tabs for easy on/off with durable elasticated side panels.
- Kevlar® anti-penetration insole.
- Moulded TPU scuff resistant toe cover.
- · Composite toe cap 200J impact resistance.
- · Shock absorbing EVA® midsole.
- Heel energy absorption.
- Nitrile rubber outsole.
- Heat resistant to 300°C.
- Broad size profile.

<u>UK</u> sizes

4.5 5 6 7 8 9 10 11 12 13 14

BULL SLIP ON







Breathable




BLACK

Great value slip on work boot. With 200J impact resistant steel toe cap, oil resistant sole and slip-resistant properties, this shoe will provide the protection you need while working. Comes with heavy duty woven pull tabs, durable elastic sides and a comfortable footbed insole.

FEATURES

- Embossed action leather upper.
- Easy fitting dual pull tabs for easy on/off with durable elasticated side panels.
- · Steel toe cap 200J impact resistance.
- Oil resistant with a dual density PU outsole.
- · Heel energy absorption.
- Slip resistant outsole.
- Broad size profile.





Class 1 SB SRA AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019 Class 1 SB SRA EUROPEAN Standard EN ISO 20345: 2011

©OVERLAND GROUP PTY LTD.

NON PROTECTIVE - SLIP ON








CLARET

High quality soft toe work boot targeting the value for money customer. Comes with leather upper, heavy duty woven pull tabs, durable elastic sides and comfortable footbed insole. This boot has a oil resistant outsole with anti-slip properties.

- Action leather upper.
- Easy fitting dual pull tabs for easy on/off with durable elasticated side panels.
- Dual density pu outsole.
- · Oil resistant with a dual density PU outsole.
- Slip resistant outsole.
- Tested to SRC.



MENS 626 MID626K2






BLACK/ BLACK

For the industrial worker who is on their feet all day, the 626 sports a full EVA footbed, ABZORB heel crash pad and ASTM 2913-11 certified slip resistance outsole to be the comfort shoe of choice for the occupational worker that allows you to focus on your job, not your shoes. With added benefit of leather upper for durability and adaptability into a number of work conditions. COMFORT WHILE YOU WORK.

FEATURES

- Leather upper.
- Heel pull tab.
- Lightweight.
- Slip resistant outsole.
- Airport friendly.
- NB EVA® comfort insert.





515 SR MENS MID515SR





BLACK




GREY

515 SR occupational shoe merges classic New Balance styling and comfort with the functionality of an occupational work shoe; whether it be for healthcare or hospitality. 515 presents as a great casual work shoe with the benefits of a lightweight EVA® midsole supported by a breathable and water-resistant oxford upper. Reinforced with suede leather at all high abrasion points and featuring padded collar and lining, these attributes come together to create a shoe that is expertly crafted for comfortable support in all occupational environments. A TPU heel clip completes construction to deliver a practical and functional shoe for the workplace while not compromising on style. COMFORT WHILE YOU WORK.

FEATURES

- Water resistant oxford upper
- · Reinforced suede leather.
- Lightweight EVA® midsole.
- Slip resistant rubber outsole.
- Heat resistant outsole.
- TPU heel clip.





EUROPEAN Standard EN ISO 20347: 2012

906 SR MENS MID906SR






BLACK

WHITE

906 performance occupational shoe combines all the very best elements from the occupational collection into one shoe, engineered for protection and superior comfort. This experience starts with a midsole containing the most Fresh Foam in an occupational shoe to date, and continues with data-located lugged slip resistant (SRC) outsole. Additionally a no sew Hyposkin upper limits abrasion points while also providing both flexibility and support with laser cut skin. Also comes with added benefits including an Ortholite innersole and supportive heel counter. COMFORT WHILE YOU WORK.

FEATURES

- · Hyposkin no sew upper.
- Fresh foam midsole.
- Heel pull tab.
- Slip resistant rubber outsole.
- Heat resistant outsole.
- · Ortholite® innersole.





MENS 806 MID806K1






BLACK/ BLACK

By utilizing foot pressure data, the 806 occupational sneaker from New Balance is engineered for protection and superior comfort. Performanceinspired features like New Balance's signature Fresh Foam cushioning offer ultra-plush support, while data-located slip resistant lugs help keep you moving while you work on a range of different surfaces. COMFORT WHILE YOU WORK.

- Fresh foam for lightweight, cushioning and comfort.
- Heel pull tab.
- No sew overlays.
- · Slip resistant outsole.
- Hyposkin.
- Airport friendly.
- NB EVA® comfort insert.





RHINO WORK GRIP MENS MFMS21001






BLACK

Lightweight and anti-slip, this shoe is perfect for the person spending all day on their feet and wanting to reduce their hazard slipping risk. All black appearance makes it a great match for hospitality, healthcare or cleaning industries. Premium comfort thick PU footbed and lightweight rubber outsole.

FEATURES

- · Animal friendly synthetic leather upper.
- · Fitted for instant comfort softened, adaptable upper with a padded collar.
- · Inherently light without sacrificing maximum cushioning.
- · Lipped toe guards ensure durability against scuffing & abrasion.
- · Premium comfort thick PU foot bed.
- Shock absorbing EVA® midsole.
- Slip resistant rubber outsole.
- Airport friendly.

Tested to ASTM F1677-05 & SRC.



IMPALA MENS

MFMW22005






WHITE

An eco-friendly option with a fully recycled upper. Impala is your trendy slip-resistant shoe perfect for workers in the hospitality and occupational sector. Lightweight and equipped with a premium comfort thick EVA® foot bed, this shoe is ready to provide you with the optimal support you need during those long days on your feet.

- · Eco friendly fully recycled upper.
- · Fitted for instant comfort softened, adaptable upper with a padded collar.
- · Inherently light without sacrificing maximum cushioning.
- · Lipped toe guards ensure durability against scuffing & abrasion.
- Premium comfort thick EVA® foot bed.
- Shock absorbing EVA® midsole.
- · Slip resistant rubber outsole.
- · Airport friendly.
- Tested to SRC & ASTM F1677-05.









WOMENS 626 WID626K2





BLACK/ BLACK


For the industrial worker who is on their feet all day, the 626 sports a full EVA footbed, ABZORB heel crash pad and ASTM 2913-11 certified slip resistance outsole to be the comfort shoe of choice for the occupational worker that allows you to focus on your job, not your shoes. With added benefit of leather upper for durability and adaptability into a number of work conditions. COMFORT WHILE YOU WORK.

FEATURES

- · Leather upper.
- Heel pull tab.
- Lightweight.
- · Slip resistant outsole.
- Airport friendly.
- NB EVA® comfort insert.



Slip Resistant ASTM F2913-11 Fuel Resistant ASTM D471-16a



515 SR WOMENS

WID515SR





BLACK




GREY

515 SR occupational shoe merges classic New Balance styling and comfort with the functionality of an occupational work shoe; whether it be for healthcare or hospitality. 515 presents as a great casual work shoe with the benefits of a lightweight EVA® midsole supported by a breathable and water-resistant oxford upper. Reinforced with suede leather at all high abrasion points and featuring padded collar and lining, these attributes come together to create a shoe that is expertly crafted for comfortable support in all occupational environments. A TPU heel clip completes construction to deliver a practical and functional shoe for the workplace while not compromising on style. COMFORT WHILE YOU WORK.

FEATURES

- Water resistant oxford upper
- Reinforced suede leather.
- Lightweight EVA® midsole.
- · Slip resistant rubber outsole.
- Heat resistant outsole.
- TPU heel clip.





EUROPEAN Standard EN ISO 20347: 2012

906 SR WOMENS

WID906SR



new balance




BLACK

WHITE

906 performance occupational shoe combines all the very best elements from the occupational collection into one shoe, engineered for protection and superior comfort. This experience starts with a midsole containing the most Fresh Foam in an occupational shoe to date, and continues with data-located lugged slip resistant (SRC) outsole. Additionally a no sew Hyposkin upper limits abrasion points while also providing both flexibility and support with laser cut skin. Also comes with added benefits including an Ortholite innersole and supportive heel counter. COMFORT WHILE YOU WORK.

FEATURES

- Hyposkin no sew upper.
- Fresh foam midsole.
- Heel pull tab.
- Slip resistant rubber outsole.
- Heat resistant outsole.
- Ortholite® innersole.






WID806K1



BLACK/ BLACK

By utilizing foot pressure data, the 806 occupational sneaker from New Balance is engineered for protection and superior comfort. Performanceinspired features like New Balance's signature Fresh Foam cushioning offer ultra-plush support, while data-located slip resistant lugs help keep you moving while you work on a range of different surfaces. COMFORT WHILE YOU WORK.

- · Fresh foam for lightweight, cushioning and comfort.
- Heel pull tab.
- · No sew overlays.
- · Slip resistant outsole.
- Hyposkin.
- Airport friendly.
- NB EVA® comfort insert.





RHINO WORK GRIP WOMENS MFWS21001






BLACK

Lightweight and anti-slip, this shoe is perfect for the person spending all day on their feet and wanting to reduce their hazard slipping risk. All black appearance makes it a great match for hospitality, healthcare or cleaning industries. Premium comfort thick PU footbed and lightweight rubber outsole.

FEATURES

- · Animal friendly synthetic leather upper.
- Fitted for instant comfort softened, adaptable upper with a padded collar.
- Inherently light without sacrificing maximum cushioning.
- · Lipped toe guards ensure durability against scuffing & abrasion.
- Premium comfort thick PU foot bed.
- Shock absorbing EVA[®] midsole.
- · Slip resistant rubber outsole.
- · Airport friendly.
- Tested to ASTM F1677-05 & SRC.



RHINO WOMENS SLIP ON

MFWW22001






BLACK/ BLACK

Lightweight and anti-slip, this slip on shoe is perfect for the person spending all day on their feet and wanting to reduce their hazard slipping risk. All black appearance makes it a great match for hospitality, healthcare or cleaning industries. Premium comfort thick PU footbed and lightweight rubber outsole.

- · Animal friendly synthetic leather upper.
- Fitted for instant comfort softened, adaptable upper with a padded collar.
- Inherently light without sacrificing maximum cushioning.
- · Lipped toe guards ensure durability against scuffing & abrasion.
- · Premium comfort thick PU foot bed.
- Shock absorbing EVA® midsole.
- · Slip resistant rubber outsole.
- · Airport friendly.
- Tested to ASTM F1677-05 & SRC.







IMPALA WOMENS MFWW22005






WHITE

An eco-friendly option with a fully recycled upper. Impala is your trendy slip-resistant shoe perfect for workers in the hospitality and occupational sector. Lightweight and equipped with a premium comfort thick EVA® foot bed, this shoe is ready to provide you with the optimal support you need during those long days on your feet.

FEATURES

- Eco friendly fully recycled upper.
- Fitted for instant comfort softened, adaptable upper with a padded collar.
- Inherently light without sacrificing maximum cushioning.
- Lipped toe guards ensure durability against scuffing & abrasion.
- Premium comfort thick EVA® foot bed.
- Shock absorbing EVA[®] midsole.
- Slip resistant rubber outsole.
- Airport friendly.

Tested to SRC & ASTM F1677-05.





SPECIALTY







BLACK/ BLUE

The only safety shoe that earns money. WHY? The answer is quite simple:

SCHÜTZE ASPHALT-PRO is the only shoe enabling your employees to work on hot asphalt for more than an hour without putting their health and/or safety at risk.

FEATURES

- Upper leather: water, oil and dirt resistant, genuine leather thickness approx. 2.1mm.
- · Lining: natural, perforated orthopaedic leather lining.
- Toe protection: high & wide steel toecap.
- Insole: genuine leather, 2.4 2.7mm thickness.
- Cushion: replaceable cushion inlay with spherical heel and distinct arch support, anatomically formed, moisture regulating, respiratory active, antibacterial & washable.
- Sole: Duo soft-asphalt sole (Rubber-PUR), sealing sole edge system patent nr. 403677. Nitrile rubber mould (microbe and acid resistant, oil and fuel resistant).

EU s	sizes					
42	43	44	45	46	47	48
UKs	size c	onve				
8	9	9.5	10.5	11.5	12	13



HI CI HRO SRA AUSTRALIAN/ NZ Standard AS/NZS 2210.3:2019 EUROPEAN Standard EN ISO 20345:2011

ACCESSORIES



BLACK

2PK BAMBOO SOCK MAS21650

FEATURES

- 80% Bamboo Viscose/ 17% Nylon/ 3% Elastane
- · Environmentally friendly.
- Superior comfort.
- Naturally anti-bacterial, reduce foot odour.
- Breathable, stay dry and fresh.
- Temperature regulating.
- Full cushioned foot.
- Reinforced heel and toe for durability.





3PK RENEW CREW SOCK MAS23651

FEATURES

- 65% Recycle Polyester/ 31% Polyester/ 4% Elastane
 REPREVE® recycled yarns made from recycled plastic waste that keeps it out of landfill and our oceans.
 Promotes innovation to minimize the harmful environmental and chemical impacts.
- · Eco friendly and sustainable, superior comfort.
- Moisture wicking to stay dry and fresh.
- · Extra cushioning for foot and heel comfort.
- Full cushioned foot.
- · Reinforced heel and toe for durability.





MIINKA

BLACK/ CHARCOAL/ BLACK

3PK WORK SOCKS MAW18653

FEATURES

- 73% Cotton/ 22% Polyester/ 5% Elastane
- · Cotton rich for day long comfort.
- Mid weight for year long wearability.
- Full cushioned foot.
- · Reinforced heel and toe for durability.
- Designed for industry.

6-10 11-14



BLACK

INDUSTRIAL BEANIE MAW22651

- Main: 100% Acrylic knit.
- · Lining: 100% Polyester micro fleece.
- Wrap woven badge.
- · OSFA (58cm)

APPAREL





BLACK

NAVY

INDUSTRIAL PULLOVER HOODIE MMW21550

FEATURES

- Main: 65% Polyester/ 35% Cotton Brushed Fleece 340gsm, low pill.
- Hood lining: TC Jersey
- Insert: 100% Nylon Woven
- Sun protection UPF50+ AS/NZS 4399:2017
- Size range: XS-3XL





BLACK

GREYMARLE

INDUSTRIAL CREW MMW22553

FEATURES

- Main: 65% Polyester/ 35% Cotton brushed fleece 340gsm, low pill.
- Hood lining: TC Jersey
- Insert: 100% Nylon Woven
- Sun protection UPF50+ AS/NZS 4399:2017
- Size range: XS-3XL



GRANITE MARLE

BLACK

INDUSTRIAL FURLINED HOOD MMW21551

FEATURES

- Main: 65% Polyester/ 35% Cotton Brushed Fleece 340gsm, low pill.
- Hood lining: Faux Fur
- Insert: 100% Polyester Woven
- Sun protection UPF50+ AS/NZS 4399:2017
- Size range: XS-3XL





UTILITY TRACKPANT MMW19551

- Main: 65% Polyester/ 35% Cotton brushed fleece 280gsm, low pill.
- Panel: 100% Polyester Oxford Woven
- · Adjustable elastic waist, side pockets, large back pocket.
- Woven oxford knee patches.
- Sun protection UPF50+ AS/NZS 4399:2017
- Size range: XS-3XL

COMPRESSION

Compression garments prodvide a contoured fit. By compressing your muscles it will enhance blood flow and circulation, support muscles by reducing vibration and decrease the build-up of lactic acid that causes post-workout fatigue.





BLACK

MENS COMPRESSION LONG SLEEVE GDMS1382

FEATURES

- · Polyester/ Elastane 160gsm.
- · Underarm mesh panels for ventilation.
- · Ergonomic seams contours the body and offers maximum support, comfort and mobility.
- · Flatlocked seams help to reduce chafing.
- · Quickdry technology wicks moisture away from skin.
- Sun protection UPF50+ AS/NZS 4399:2020
- · Ruco-Bac Med technology reduces the risk of allergies.
- Size range: XS-XXL



BLACK

MENS COMPRESSION HALF SHORT GDMS2180

FEATURES

- Nylon/ Elastane 200gsm.
- · Jacquard logo elastic waistband for extra support and ease.
- · Ergonomic seams contours the body and offers maximum support, comfort and mobility.
- Flatlocked seams help to reduce chafing.
- · Quickdry technology wicks moisture away from skin.
- Sun protection UPF50+ AS/NZS 4399:2020
- Size M: 5.5" inseam
- Size range: S-3XL



MENS COMPRESSION TIGHTS GDMS1385

FEATURES

- Nylon/ Elastane 200gsm.
- · Jacquard logo elastic waistband for extra support and ease.
- · Ergonomic seams contours the body and offers maximum support, comfort and mobility.
- · Flatlocked seams help to reduce chafing.
- Quickdry technology wicks moisture away from skin.
- Sun protection UPF50+ AS/NZS 4399:2020
- Size range: S-3XL









MENS COMPRESSION SHORT GDMS1384

FEATURES

- Nylon/ Elastane 200gsm.
- · Jacquard logo elastic waistband for extra support and ease.
- · Ergonomic seams contours the body and offers maximum
- support, comfort and mobility.
- · Flatlocked seams help to reduce chafing.
- Quickdry technology wicks moisture away from skin.
- Sun protection UPF50+ AS/NZS 4399:2020
- Size M: 9" inseam
- Size range: S-3XL

DIADORA



SIZE CHARTS

FOOTWEAR SIZE CHART

A SIZING & CONVERSION GUIDE

US Men	US Women	UK	EU	Lengthin cm
4	5.5	3.5	36	22
4.5	6	4	37	22.5
5	6.5	4.5	37.5	23
5.5	7	5	38	23.5
6	7.5	5.5	38.5	24
6.5	8	6	39.5	24.5
7	8.5	6.5	40	25
7.5	9	7	40.5	25.5
8	9.5	7.5	41.5	26
8.5	10	8	42	26.5
9	10.5	8.5	42.5	27
9.5	11	9	43	27.5
10	11.5	9.5	44	28
10.5	12	10	44.5	28.5
11	12.5	10.5	45	29
11.5	13	11	45.5	29.5
12	13.5	11.5	46.5	30
12.5	14	12	47	30.5
13	15	12.5	47.5	31
14	-	13.5	49	32
15	-	14.5	50	33
16	-	15.5	51	34
17	-	16.5	52	35
18	-	17.5	53	36
19	-	18.5	54	37
20	-	19.5	55	38



US Men's Standard Running Size	Narrow (B in cm) Medium (D in cm) Wide (2E) in cm	Extra Wiel (4B) in cm
6	9.3	9.7	10.1	10.4
6.5	9.5	9.8	10.2	10.5
7	9.6	9.9	10.3	10.6
7.5	9.7	10.0	10.4	10.7
8	9.8	10.1	10.5	10.8
8.5	9.9	10.2	10.6	10.9
9	10.0	10.4	10.7	11.0
9.5	10.1	10.5	10.8	111
10	10.2	10.6	10.9	11.3
10.5	10.3	10.7	11.0	11.4
11	10.4	10.8	111	11.5
11.5	10.5	10.9	11.3	11.6
12	10.6	11.0	11.4	117
12.5	10.7	111	11.5	11.8
13	10.8	11.2	11.6	11.9
13.5	10.9	11.3	117	12.0
14	11.0	11.4	11.8	121
14.5	111	11.5	11.9	12.2
15	11.3	11.6	12.0	12.3
15.5	11.4	117	121	12.4
16	11.5	11.8	12.2	12.5

APPAREL SIZE CHART

Mens Tops and Pant (elastic waist) sizing.

Size	s	М	L	XL	XXL
To Fit Chest (cm)	92	97	102	107	112
Waist (cm)	82	87	92	97	102
Hip (cm)	98	103	108	113	118

STANDARDS

Symbol	Requirements/Features	Required Performance
Р	Perforation resistance of shoe underside	≥ 1100 N
E	Energy absorption in the heel area	≥ 20 J
А	Antistatic footwear	between 0, 1 and 1000M Ω
С	Conductive footwear	< 0,1 MΩ
EN 50321	Electrically insulating footwear	Class 0 o 00
WRU	Penetration and absorption of water into the upper	≥ 60 min
CI	Insulation from cold	Test at -17°C
н	Insulation from heat	Test at 150°C
HRO	Heat resistance by outsole contact	Test at 300°C
FO	Outsole resistance to hydrocarbons	≤ 12%
WR	Water resistant footwear	≤ 3 sq. cm
м	Metatarsal protection (only for EN ISO 20345)	≥ 40 mm (size 41/42)
AN	Malleolus protection	≤10 kN
CR	Upper cutting resistance	≥ 2,5 (index)

Cate	Category Cla		Basic Requirement	Additional Requirement	
SB	ОВ	l or ll	all	Basic safety + 200J protective toecap	
SI	Ol	I	all	Closed heel area Antistatic properties Energy absorption in the heel area Outsole resistance to hydrocarbons	
S2	02	I	all	Same as S1/O1 plus water penetration and absorption Outsole resistance to hydrocarbons	
S3	O3	I	all	Same as S2/O3 plus resistance to perforation Sole with relieves Outsole resistance to hydrocarbons	

** FO outsole resistance to hydrocarbons S1 - S2 - S3 - S4 - S5 Example: S3 = SB+FO+A+E+WRU+P / S1P = SB+FO+A+E+P

	Slip resistance *	
SRA	ceramic + detergent	heel≥ 0.28, flat ≥ 0.32
SRB	steel + glycerin	heel≥ 0.13, flat ≥ 0.18
SRC	SRA + SRB	

*For new footwear (as with car tyres), maximum sole adhesion is achieved after a certain "break-in" period necessary to remove silicone and release agent residues and other physical and/or chemical unevenness on the surface.

COMPLETE FOOTWEAR: height of the upper: heel area: performance of the sole (construction and resistance to detachment of the

upper/sole); protection of the toes and the features of the toe piece (excepting EN ISO 20347), anti-slipping properties.

UPPER: features of the materials of the upper, lining, tongue, insole (resistance to tearing, abrasion, traction features, permeability to moisture, pH, and for the insole, also absorbing and de-absorbing.

SOLE: construction and resistance to tearing, abrasion, flexing, hydrolysis, to the detachment of sole/ insole, to hydrocarbons (EN ISO 20345 S1-S2-S3).

CLASSIFICATION OF FOOTWEAR

i. Footwear made from leather and other materials, excluding all rubber or all-polymeric footwear.

ii. All-rubber or all-polymeric footwear.

INSOCKS: If the footwear is supplied with a removable insock it should be made clear in the leaflet that testing was carried out with the insock in place. A warning shall be given that the footwear shall only be used with the insock in place and that the insock shall only be replaced by a comparable insock supplied by the original footwear manufacturer. If the footwear is supplied without an insock it should be made clear in the leaflet that testing was carried out with no insock present. A warning shall be given that fitting an insock can affect the protective properties of the footwear.

MAINTENANCE INSTRUCTIONS: To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator, nor nearby a heat source.



Toe Protect



na Protei

Ban





schüze

5

CONTACT US

RETEVA

Aspire Pacific Sales@aspirepacific.net www.aspirepacific.net

FOR MORE INFORMATION ON OUR PRODUCTS www.newbalanceindustrial.com.au www.munka.com.au